











CROWDED SPACES SOLUTIONS


























SAFER PUBLIC SPACES.

OUR PHILOSOPHY

Ezi Security Systems designs, manufactures and installs a premium range of perimeter security solutions for both vehicle and pedestrian access control, with specialised expertise in Hostile Vehicle Mitigation and protection of Crowded Spaces. With core competence established over 23 years, Ezi Security Systems provides innovations of our own invention, and via alliances with undisputed world leaders in our field, deliver sophisticated solutions at the leading edge of global technology.

Over the past 5 years the world has changed dramatically. In collaboration with our strategic business partners, Ezi has responded with focus, mitigating hostile vehicle threats with our Crowded Spaces range of products. Ezi offers permanent solutions for risk categories from low to extreme, as well as rapid deployment products for crowded spaces and public events, such as the Impakt and Rapid Defender products.

All Ezi Security Systems AVB and HVB systems have been rigorously crash tested and certified to meet requisite ASTM, IWA and PAS 68 stipulations. Along with our global partners, Ezi Security Systems actively collaborate in the development and deployment of contemporary strategies such as VAAW (Vehicle as a Weapon) mitigation, deploying whole of environment solutions. Ezi have solutions to meet your very highest security requirements whilst maintaining an aesthetically compatible solution for your site.

You can be confident that when serious security is your requirement, you need look no further than Ezi. We stand ready to be of expert service in an ever evolving environment, as global security risks increasingly demand local solutions.



CONTENTS

THE PAGE OF CONTENTS



01	PRODUCT RANGE	PAGE 06
02	ENGINEERED SOLUTIONS	PAGE 08
03	CUBE AND BENCH BLOCKS	PAGE 10
04	SPHERICAL BOLLARD & PLANTERS	PAGE 12
05	SWATCH AND MOUNTING OPTIONS	PAGE 14
06	PAS 68 TESTED AND CERTIFIED	PAGE 16
07	BESPOKE SOLUTIONS	PAGE 18
08	CRASH RATED PLANTERS	PAGE 20
09	CRASH RATED SEATING OPTION	PAGE 22
10	CRASH BLOCKS	PAGE 23
11	RAPID DEPLOYABLE UNFIXED SOLUTIONS	PAGE 24

1300 558 304 WWW.EZISECURITY.COM.AU 5

ENGINEERED SOLUTIONS













PAS 68 CRASH CERTIFIED














PRODUCT RANGE

ENGINEERED SOLUTIONS














CUBE AND BENCH BLOCKS

PASSIVE BARRIERS ENGINEERED SOLUTIONS



*Product design and dimension are not fixed and can be modified according to client's preference.





DESCRIPTION

Ezi Security Cube and Log blocks modular system are contemporary and flexible range of passive barriers which and combined in a variety of configurations to suit any comprises a number of different seating options, giving the flexibility to vary colour, texture and with almost unlimited configurations.

These passive barriers can be engineered as free standing, rooted ground fixed and base plate fixed for more

robust construction. The cube and logs can be modified environment. Non-water absorbent and frost resistant aggregates are availble to ensure that the product will not alter over time and prevent mould formation.

A drilled eybolt thre=ats can be embedded for easy lifting and handling.

MATERIALS: Pre- Cast Granite

Precious Stone

FINISH:

Anti-Graffiti Coating; Nanotechnology Coating: Manufacturer's coating

CROWDED SPACE SOLUTIONS

Pattern and logo can be added to the finished product

COLOURS Pre-Cast Grey; Pre-Cast White;

Pre-Cast Charcoal White Granite

Off White Granite

Red Verona Multi Veneziano Yellow Mori Black Ebony Cream Bottoccino

Green Alps Brown Porphyry

See page 14 for color swatches, materials and mounting options

11

- ✓ Dual purpose and seating option
- ✓ Choose from variety of colors
- ✓ Combine with other elements



*Product design and dimension are not fixed and can be modified according to client's preference.



1300 558 304 WWW.EZISECURITY.COM.AU

SPHERICAL BOLLARDS & NON-RATED PLANT

PASSIVE BARRIERS ENGINEERED SOLUTIONS









DESCRIPTION

Spherical Bollard are designed to provide robust and bollard measures 700mm in diameter and can be supplied effective demarcation of pedestrian areas, while providing in a selection of colours alongside the standard exposed a complementary look and feel to public spaces.

increase protection. Sitting on top of a 100mm plinth, The into the bollard's surface, on smooth finishes only.

silver grey.

The bollard can be provided in either a smooth, exposed or The Spherical 700 Bollard is manufactured from high- etched finish. Additional finish options include personalised quality concrete for added strength and durability to sand etching, which allows custom designs to be etched

MATERIALS: Pre- Cast Granite Precious Stone

FINICH-

Anti-Graffiti Coating; Nanotechnology Coating: Manufacturer's coating

CROWDED SPACE SOLUTIONS


Pattern and logo can be added to the finished product

COLOURS Pre-Cast Grev: Pre-Cast White; Pre-Cast Charcoal

> White Granite Off White Granite

Red Verona Multi Veneziano Yellow Mori Black Fhony Cream Bottoccino Green Alps Brown Porphyry

See page 14 for color swatches, materials and mounting options









DESCRIPTION

The Ezi planters are passive security barriers providing A self-levelling system ensures that the planter is levelled on balance between security measure and functionality of slopes with up to a 6% incline. a public space advocating for green environment. These planters is fitted with a water reserve system which Ezi planters dimension can be modified to fit our PAS 68 maintains the soil at a proper level of humidity without Truckstopper range of products. internal dispersion of water.

MATERIALS: Pre- Cast Granite Precious Stone

FINISH-Anti-Graffiti Coating;

Nanotechnology Coating: Manufacturera's coating

Pattern and logo can be added to the finished product

COLOURS Pre-Cast Grev: Pre-Cast White; Pre-Cast Charcoal

> White Granite Off White Granite

Red Verona Multi Veneziano Yellow Mori Black Ebony Cream Bottoccino Green Alps

Brown Porphyry

See page 14 for color swatches, materials and mounting options

1300 558 304 WWW.EZISECURITY.COM.AU 13

COLOUR & MATERIAL SPECIFICATIONS

PRE-CAST OPTIONS







PRE-CAST WHITE



PRE-CAST GREY


GRANITE & PRECIOUS STONE OPTIONS



HYAMS WHITE (G)



WHITSUNDAYS OFF WHITE (G)



PERISHER GREEN ALPS (PS)



CAIRNS BOTTICINO (PS)




QUEENSLAND PORPHYRY (PS)




SOUTH AUSTRALIAN BLACK EBONY (PS)



WESTERN SYDNEY YELLOW MORI (PS)



MELBOURNE VENEZIANO (PS)



SYDNEY RED VERONA (PS)


MOUNTING OPTIONS












PAS68 TESTED & CERTIFIED


























BESPOKE SECURITY SOLUTIONS

SAFETY BALUSTRADE, BIKE RAILS & SIGN FRAMES











BALLUSTRADE

BIKE RACKS WITH HANRAILS

STREET SIGN FRAMES









SEAT AND LITTER BINS

- Made from high grade stainless steel,
- The PAS 68 Spring Technology within these shrouds quarantees a high standard perimeter protection
- Real camouflaged security without compromising site design and architecture
- Contemporary and timeless



Product design and dimension are not fixed and can be modified according to client's preference.





collision event the dynamics off our spring steel bollard to retain its blocking purpose can move around the five Cartesian coordinates, them

Ezi provides a flexible range of bespoke solution using being x, y and z axis, and rotating on each axis. This allows it Safetyflex spring technology. This technology allows to behave as a torsion spring, a lateral translation spring and every spring steel composition to absorb extreme lateral bending spring, then returning to its original start point amounts of energy from any types of impact. On any after impact allowing the shrouding. This allows the technology

> All of these bespoke solution can be engineered to be crash certified for a 48-80kph range of speed camera

1300 558 304 WWW.EZISECURITY.COM.AU 19

PLANT GIOVE

DESCRIPTION

Manufactured from a mix of concrete & fine Italian marble aggregate,Protective planting solution providing 1, 224 litre planting capacity Polished smooth surface treated with a FINISH Protective varnish. The excavation depth should be at least 950mm

Test1 - PAS68: 2010: V/7500(N2)/64/90:0.0/0.0 Crash tested to7.5 tonne two axle rigid N2 lorry Vehicle Speed: 40mph (64km/h)

COLOURS White Granite Red Verona

Multi Veneziano Yellow Mori Black Ebony Cream Bottoccino Green Alps

Brown Porphyry
See page 14 for color swatches, materials and mounting options

Test1 - PAS68: 2010: V/7500(N3)/80/90:1.7/0.0
 7.5 tonne two axle rigid N3 lorry (empty 18 tonner)
 Vehicle Speed: 50mph (80km/h)




SAFETY FLEX PLANTER

DESCRIPTION

Stainless Steel planter box plugged to Springline Technology Bollard. The system is designed to be surface mountatin with very shallow foundation - reducing the re-divert utilities requirements.

- PAS68 PLANTER (BSI PAS68:2010) V/7500(N2)/64/90:2.8/7.2
- Crash Tested to 7.50 tonnes at 40mph/64kph.
- ✓ Designed to be made to any size required







GRANITE PLANTERS

- ✔ Planter shroud over PAS68 rated Truckstopper Bollards
- Design flexibility
- ✓ Subtle high-quality security barriers
 - * See our Safetyflex Brochure for range of Truckstopper Bollards






IGNEO SEAT

DESCRIPTION

Reinforced precast concrete strengthened by rhinoGuard technology/ Armrests Ferrocast polyurethane.

- Test1 Centre: PAS68V/7500(N2)/64/90:3.7/0.0
- Test2 Off Centre: V/7500(N2)/64/90:3.5/0.0
- Crash tested to 7.50 tonnes two axle rigid N2 lorry at 40mph/64kph.





Igneo modular seating system can be specified to any length, based on the module sizes available

COLOUR & FINISH

Pre-Cast Grey; Pre-Cast White; Pre-Cast Charcoal Pre-Cast South Australian Black Ebony See page 14 for color swatches, materials

DIMENSION & WEIGHT


Centre Section Span - 1102mm Left/Right Section Span - 1037mm Seating Section - 474mm Ferrocast Arm Section Weight - 21.5 Kg Cast End Section Weight - 1000 Kg Cast Intermediate Section Weight - 1200 Kg

EOS SEAT

DESCRIPTION With Ferrocast and Timber composition, this crash rated barrier combines form, function and strength - offering not just a great seating solution, but also security and resilience for the area. Excavation depth: 950mm

COLOUR

Available in wide selection of RALcolour system





- Test 1: Front facing (centre): PAS68:2010:V/7500 (N2)/48/90:0.0/0.0
- Test 2: Back facing (centre): V/7500(N2)/48/90:3.1/0.0
- Test3: Back facing (Off centre): V /7500 (N2)/48/90:2.7/0.0
- Crash tested to 7.5 tonne two axle rigid N2 lorry travelling at 30mph (48km/h)

SAFETYFLEX CRASHBLOCK

NO requirements for a foundation Can be modified to serve as a planter

- Test1: IWA 14-1:2013 Block V/7200[N2A]/48/90:4.1
- Test2: IWA 14-1:2013 Block V/7200[N2A]/64/90:6.7
- Crash tested to 7.5 tonne two axle rigid N2 lorry travelling at 30mph/64km/hl\







Ideal for permanent or temporary solutions and can be dressed in any cladding of choice

RHINOBLOK SEAT

- ✓ Test1: IWA14-1:2013 BlokV/7200[N2A]/64/90:19.3
- Crash tested to 7.5 tonne two axle rigid N2A lorry travelling at 40mph (64km/h)

DESCRIPTION Protective concrete seat, available in a variety of finishes

which integrate with the existing landscape, or alternatively, it can feature a timber-cladded top for a more modern look.

COLOUR & WEIGHT Available in Silver Grey, Mid Grey/Saxon Buff

2500 kg





1300 558 304 WWW.EZISECURITY.COM.AU 23

RAPID DEPLOYABLE UNFIXED SOLUTIONS







IMPAKT DEFENDER

DESCRIPTION


Manufactured from 100% recycled rubber and polyurethane, supplied complete with steel securing cables and fixings.

WEIGHT & DIMENSIONS

WEIGHT: 430 kgs each

DIMENSIONS: 1000 x 1004 x 1004 mm CONNECTIVITY: 20mm Ø Steel cables





- ✓ Impact tested to IWA 14-1 specification
- Stopping a 7.2 tonne N2A lorry at 48kph (30mph).
- ✓ Vehicle security barrier (VSB)
- Requiring no foundations

RAPID DEFENDER

- Designed to provide protection for crowds of people at events from vehicle as a weapon (VAAW) attacks
- → Temporary vehicle security barrier (VSB)
- Requiring no foundations and can be quickly deployed almost anywhere-
- ✓ Unbeatable lightweight






DESCRIPTION

Manufactured from 100% recycled rubber and polyurethane, supplied complete with steel securing cables and fixings.

WEIGHT & DIMENSIONS

WEIGHT: 49 kgs each

DIMENSIONS: 333 x 600 x 600 mm CONNECTIVITY: 20mm Ø Steel cables



1300 558 304 WWW.EZISECURITY.COM.AU 25















NSW (1)

11 Cooper St Smithfield, NSW Ph: 1300 558 304 E: sales@ezisecurity.com

QLD

Satellite Office Ph: 1300 558 304 E: sales@ezisecurity.com

VIC / TAS

Satellite Office Ph: 1300 558 304 E: sales@ezisecurity.com

NSW (2)

6/8 Cooper St Smithfield NSW 2164 Ph: 1300 558 304

ACT

Satellite Office Ph:1300 558 304 M: 0412 120 984 E: rod@eziseurity.com

SA

Satellite Office Ph: 1300 558 304 E: sales@ezisecurity.com

NZ

Satellite Office M: + 61425311222

SINGAPORE

Satellite Office Ph: +65 910 792 71

COMPANY CONTACT



11 Cooper St, Smithfield New South Wales, Australia 2164



1300 558 304



info@ezisecurity.com

WWW.EZISECURITY.COM.AU

















